Nuclear Engineering and Design 144 (1993) 523–526
North-Holland



# Contents of Volume 144

## CONTENTS OF ISSUE 144(1)

**Extended and Updated Selected Papers from the 17th MPA-Seminar**
**Stuttgart, Germany, October 10–11, 1991**

Preface, *K. Kussmaul* ix

Cleavage fracture prediction and $K_{Ic}$ assessment of a nuclear pressure vessel carbon steel using local approach criteria, *P.P. Milella, C. Maricchiolo, A. Pini, N. Bonora and M. Marchetti* 1

Relation between size and density of nonmetallic inclusions and the *J*-integral at crack initiation, *P. Deimel and E. Sattler* 9

Quantifying the crack growth resistance of materials using $J_R$ curves, *E. Smith and T.J. Griesbach* 23

Fracture mechanics investigations on cylindrical large scale specimens under thermal shock loading, *L. Stumpfrock, E. Roos, H. Huber and U. Weber* 31

A multibarrier safety concept for the reactor pressure vessel of the Stade Nuclear Power Plant, *G. Nagel, J.G. Blauel and W. Schmitt* 45

Failure probabilities of the primary circuit pressure boundary of an HTR-Module for process heat generation under accident conditions for different failure modes, *M. Staat* 53

LBB technology application to the primary piping system of the NPP V1 Jaslovske Bohunice, *J. Zdarek, L. Pecinka and J. Joch* 69

The IPIRG dynamic pipe loop test facility, *R.J. Olson, B.J. Darlaston, M.E. Mayfield and R.A. Schmidt* 77

Structural integrity of whipping pipes following a postulated circumferential break – a contribution to determining strain levels acceptable under faulted conditions, *B. Charalambus and M. Labes* 91

Calculation of leakage areas and leak rates for wall penetrating cracks in pipes loaded with internal pressure and bending moment, *H. Grebner, A. Höfler and H. Hunger* 101

Cyclic crack growth evaluation of a 20MnMoNi55 piping steel in high-oxygen reactor water, *P. Aaltonen, R. Rintamaa, H. Hänninen, U. Ehrnstén and E. Arilahti* 111

Fatigue assessment of power plant components and monitoring during operation, *J. Bartonicek, W. Zaiss, F. Schöckle, D. Blind, H. Kockelmann and W. Hienstorfer* 123

Residual life assessment, technical improvements and backfitting of components and systems from the materials standpoint, *M. Erve and E. Tenckhoff* 139

Properties of heavy components of steel grade 91 and their welds, *P. Bocquet, P. Bourges and A. Cheviet* 149

Investigations by non-destructive inspection to determine the size of natural defects in large forgings of turbogenerators, *K.H. Mayer, C. Berger, G. Gnirss, D. Heinrich and W. Prestel* 155
An improved potential drop method for measuring and monitoring defects in metallic structures, *W. Oppermann and H.P. Keller* 171
Sizing and characterization of ultrasonic indications using imaging techniques, *L. von Bernus, F. Mohr and T. Schmeidl* 177

Announcement: 12th International Conference on NDE in the Nuclear and Pressure Vessel Industries 199

Instructions to contributors 201

**CONTENTS OF ISSUE 144(2)**

**Extended and Updated Selected Papers from the International Conference on Design and Safety of Advanced Nuclear Power Plants (ANP'92) Tokyo, Japan, October 25–29, 1992**

Editorial, *K. Kussmaul* i

Preface, *S. Kondo* iii

ABWR evolution program, *A. Omoto, A. Tanabe, K. Moriya and C.W. Dillmann* 205
Thermal hydraulic aspects of the SBWR design, *B.S. Shiralkar, Md. Alamgir and J.G.M. Andersen* 213
Spectral shift rod for the Boiling Water Reactor, *O. Yokomizo, S. Kashiwai, K. Nishida, A. Orii, J. Yamashita and T. Mochida* 223
Safety of future reactors in France, *D. Quéniart* 237
Study of the PWR hybrid safety system, *Y. Makihara, T. Sugizaki, Y. Nakahara, K. Okabe, T. Kato, T. Matsuoka and K. Tabuchi* 247
Critical heat flux and heat transfer above mixture level under high-pressure boil-off conditions in PWR type and tight-lattice type fuel bundles, *H. Kumamaru and Y. Kukita* 257
Advanced technologies for CANDU reactors, *R. Dutton, E.O. Moeck, N.J. Spinks, C.E. Coleman, B.A. Cheadle, A.D. Lane, A.I. Miller, R.A. Judd and L.R. Lupton* 269
Development of the Advanced Thermal Reactor in Japan, *S. Mita, M. Akebi, O. Sawamura and T. Kondo* 283
Core coolability of an ATR by heavy water moderator in situations beyond design basis accidents, *H. Mochizuki, M.H. Koike and T. Sakai* 293
Development of high temperature structural materials for the HTGR, *Y. Muto, H. Nakajima and M. Eto* 305
Researches on air ingress accidents of the HTTR, *M. Hishida, M. Fumizawa, T. Takeda, M. Ogawa and S. Takenaka* 317
The Light Water Integral Reactor with natural circulation of the coolant at supercritical pressure B-500 SKDI, *V.A. Silin, V.A. Voznesensky and A.M. Afrov* 327
Design of an indirect-cycle fast breeder reactor cooled by supercritical steam, *T. Jevremovic, Y. Oka and S. Koshizuka* 337

Feedback control of a primary pump for safe and stable operation of a PIUS-type reactor, *K. Tasaka, S. Imai, H. Masaoka, M. Tamaki and Y. Kukita* 345
A constraint-based approach to intelligent support of nuclear reactor design, *K. Furuta* 353
Organizational change and human expertise in nuclear power plants: some implications for training and error prevention, *M. Masson, N. Malaise, A. Housiaux and V. De Keyser* 361
Requirements for dynamic modelling of man–machine interaction, *E. Hollnagel* 375

Instructions to contributors 385

**CONTENTS OF ISSUE 144(3)**

**Extended and Updated Selected Papers from the SMiRT-11 Post-Conference Seminar No. 2 on Assuring Structural Integrity of Steel Reactor Pressure Boundary Components Taipei, Taiwan, August 26–28, 1991**

Application of advanced ultrasonic test techniques coupled with fatigue and leakage monitoring to assure integrity of BWR feedwater nozzles, *T.L. Chapman, S. Ranganath and G.L. Stevens* 389
Role and demonstration of structural integrity of LMFBR structures within the frame of the safety assessment process, *H. Laue, F. Morgenstern, F. Rohdenburg and B. Hosemann* 399
Fatigue monitoring in German nuclear power plants, *H.-J. Golembiewski and M. Miksch* 409
Effect of thermal aging on fracture toughness of RPV steel, *J. Fukakura, M. Asano, M. Kikuchi and M. Ishikawa* 423
Failure analysis following decontamination – laboratory and case studies, *I.-J. Yang and M.-H. Lin* 431
Welding residual stresses at the intersection of a small diameter pipe penetrating a thick plate, *M. Mochizuki, K. Enomoto, N. Okamoto, H. Saito and E. Hayashi* 439
The IGSCC, sensitization, and microstructure study of Alloys 600 and 690, *J.J. Kai, C.H. Tsai and G.P. Yu* 449
Temporary non-code repair of ASME Code Class 3 piping, *K. Wichman and S. Lee* 459
Application of the cylindrically guided wave technique for bolt and pump shaft inspections, *G.M. Light, E.H. Ruescher, E.A. Bloom, N.R. Joshi, Y.M. Tsai and S.-N. Liu* 465

**Regular Papers**

A computer program for transient analysis of steam turbine generator overspeed, *P. Hejzlar, O. Ubra and J. Ambroz* 469
Suggested toughness/temperature relations for reactor pressure vessel steels, *A.R. Rosenfield* 487
Theoretical model of creep fracture under tri-axial state of stress, *Z. Lis and A. Litewka* 497
Study on optimum zirconium liner thickness for barrier fuel, *C.K. Chao and C.C. Tseng* 509

**Letters to the Editor and Authors' Response**

Comments on the paper "Thermal stratification and reactor piping integrity, J.H. Kim, R.M. Roidt and A.F. Deardorff," published in Nucl. Engrg. Des. 139 (1993) 83–95, *M. Robert* 517

**Announcements**

Short Course on Applied Nonlinear Dynamics 521

Short Course on Multiphase Flow and Heat Transfer 522

Contents of Vol. 144 523

Author index to Vol. 144 527

Subject index to Vol. 144 531

Instructions to contributors 535